

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 03-Oct-2022	Revision Date 03-Oct-2022	Revision Number 1
1. Identification		
Product identifier		
Product Name	Synthetic Marine Gear Lube SAE 75W-90	
Other means of identification		
Product Code(s)	AGM	
Synonyms	None	
Recommended use of the che	emical and restrictions on use	
Recommended use	Lubricant	
Restrictions on use	Avoid formation of mists	
Details of the supplier of the s	safety data sheet	
Initial supplier identifier AMSOIL INC. Bay Adelaide Centre, East Tower 22 Adelaide St. W Toronto, ON, Canada M5H 4E3 T:+1 877-822-5172	Manufacturer Address AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA T: +1 715-392-7101	
<u>E-mail</u>	compliance@amsoil.com	
Emergency telephone numbe	<u>r</u>	
Emergency telephone	CHEMTREC: Within USA and Canada: 1-800-424-9300 Outside the USA and Canada: +1 703-741-5970 (collect calls accepted) 24/7	

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1A

Label elements

Warning

Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust, fume, gas, mist, vapors and spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, eye protection and face protection. **Precautionary Statements - Response**

Specific treatment is urgent (see supplemental first aid instructions on this label).

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice and attention.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Amines, C12-14-tert-alkyl	68955-53-3	0.1-1	-	-
Bis(2-ethylhexyl) hydrogen phosphate	298-07-7	0.1-1	-	-
2-Ethylhexyl dihydrogen phosphate	1070-03-7	0.1-1	-	-
(Z)-Octadec-9-enylamine	112-90-3	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.	
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.	
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. May cause gastrointestinal discomfort if consumed in large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.	
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact. Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors.	
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).	
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
6. Accidental release meas	sures	
Personal precautions, protective ed	uipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other information	Refer to protective measures listed in Sections 7 and 8.	

For emergency responders Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains.
Reference to other sections	For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with
	skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear
	suitable respiratory equipment. Avoid contact with used product. Do not eat, drink or smoke
	when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Do not reuse empty
containers. Protect from physical damage. Keep out of the reach of children. Store in
accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits	Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m ³ . Short-term exposure limit (15-minute): 10 mg/m ³ .		
Biological occupational exposure limits	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.		
Appropriate engineering controls			
Engineering controls	Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	If there is a risk of contact: Wear safety glasses with side shields (or goggles).		
Hand protection	If there is a risk of contact: Wear suitable gloves. Impervious gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.		
Skin and body protection	If there is a risk of contact: Wear suitable protective clothing. Long sleeved clothing.		
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Environmental exposure controls	Avoid release to the environment.		
General hygiene considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.		

9. Physical and chemical properties

D 92

Information on basic physical and on Appearance	chemical properties	
Physical state	Liquid	
Color	Yellow	
Odor	Mild Sulfur	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling rang	e	No data available
Flash point	208 °C / 406.4 °F	Cleveland Open Cup ASTM
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive		No data available
limits		
Vapor pressure		No data available
Vapor density		No data available
Relative density	0.8751	No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity	117.3 cSt at 40 °C 15.4 cSt at 100 °C	ASTM D445
Dynamic viscosity		No data available
Other information		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Pour Point	-43°C [ASTM D 97]	
Fire Point	220°C (COC) [ASTM D 92]	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Build delibity		

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat. Incompatible materials.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	s Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the ph	ysical, chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. May cause gastrointestinal discomfort if consumed in large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Amines, C12-14-tert-alkyl	= 612 mg/kg (Rat)	= 251 mg/kg (Rat)	= 0.5 mg/L
Bis(2-ethylhexyl) hydrogen phosphate	= 1400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
2-Ethylhexyl dihydrogen phosphate	= 3450 mg/kg (Rat)	> 4650 mg/kg (Rabbit)	-
(Z)-Octadec-9-enylamine	= 1689 mg/kg(Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Component Information	
Amines, C12-14-tert-alkyl (68955-53-3)	
Method	OECD 405
Species	Rabbit
Exposure route	Eye
Effective dose	0.1 mL
Exposure time	30 seconds
Results	Eye Damage

Respiratory or skin sensitization May cause an allergic skin reaction.

Component Information		
Amines, C12-14-tert-alkyl (68955-53-3)		
Method	OECD Test No. 406: Skin Sensitization	
Species	Guinea pig	
Exposure route	Dermal	
Results	Sensitizing	

Germ cell mutagenicity	No information available.
Carcinogenicity	The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	Due to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Amines, C12-14-tert-alkyl 68955-53-3	-	LC50: =1.3mg/L (96h, Oncorhynchus mykiss)	-	-
Bis(2-ethylhexyl) hydrogen phosphate 298-07-7	-	LC50: =20mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name		Partition coefficient	
Amines, C12-14-tert-alkyl 68955-53-3		2.9	
Mobility in soil	No information available.		
Other adverse effects	No information available.		
13. Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation, Dispose of in accordance with local regulations.		
Contaminated packaging	Do not reuse empty containers.		
14. Transport information			
DOT	Not regulated		
TDG	Not regulated		
IATA	Not regulated		

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Ethyl acrylate - 140-88-5	Carcinogen
1,4-dioxane - 123-91-1	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive
Methyloxirane - 75-56-9	Carcinogen
Naphthalene - 91-20-3	Carcinogen
Benzene - 71-43-2	Carcinogen
	Developmental
	Male Reproductive
Ethylbenzene - 100-41-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bis(2-ethylhexyl) hydrogen phosphate 298-07-7	Х	-	-
Ethyl acrylate 140-88-5	Х	X	X
Butan-1-ol 71-36-3	Х	X	X
Phosphoric acid 7664-38-2	Х	X	X
Phenol 108-95-2	Х	X	X
1,4-dioxane 123-91-1	Х	X	X
Ethylene oxide 75-21-8	Х	X	Х
Methyloxirane 75-56-9	Х	X	Х
Naphthalene 91-20-3	Х	X	Х
2,6-Di-tert-butyl-p-cresol 128-37-0	Х	X	Х
Xylene 1330-20-7	Х	X	Х
Ethylbenzene 100-41-4	Х	X	Х
Benzene 71-43-2	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8 TWA Ceiling	3: EXPOSURE CONTROLS/PERSONAL PRO TWA (time-weighted average) Maximum limit value	DTECTION STEL *	STEL (Short Term Exposure Limit) Skin designation
U.Š. Environment European Food S EPA (Environment Acute Exposure C U.S. Environment U.S. Environment Food Research J Hazardous Subst International Unife Japan GHS Class Australia National NIOSH (National National Library o National Toxicolo	ance Database orm Chemical Information Database (IUCLID)	gicide, and Rodentic Chemicals	

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Issuing Date	03-Oct-2022
Revision Date	03-Oct-2022
Revision Note	Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet